

规格	型号		丝径	开孔大小	开孔率	厚度	克重
Fabric number	Mosaicount		Thread diameler	Meshopening	Opensurface	Fabricthickness	Weight
NO.	mesh/cm	meshinch	μm	μm	%	μm	g/m ²
DPP2	2T	5	600	4400	77.5	1170	156
DPP3	3T	8	600	2750	67.2	1160	234
DPP4	4T	10	500	2000	64	950	217
DPP5	5T	13	450	1550	60	850	2259
DPP6	6T	15	400	1270	58	760	246
DPP7	7T	18	350	1080	57	660	220
DPP8	8T	20	350	900	52	660	251
DPP9	9T	23	350	760	47	670	282
DPP10	10S	25	200	800	64	360	87
DPP10	10	25	250	750	56	450	160
DPP10	10T	25	300	700	49	570	231
DPP12	12S	30	120	720	74	215	44
DPP12	12	30	150	680	67	260	69
DPP12	12	30	250	580	48	460	192
DPP12	12T	30	300	530	40	580	277
DPP14	14S	36	200	515	52	360	143
DPP15	15S	38	200	470	50	380	154
DPP15	15T	38	250	420	40	470	240
DPP16	16S	41	100	525	92	180	36
DPP16	16	41	150	475	58	258	93
DPP16	16	41	180	445	51	370	112
DPP16	16T	41	200	425	46	380	164
DPP18	18S	46	150	405	53	260	104
DPP18	18T	46	180	375	46	330	150
DPP19	19T	48	150	375	51	260	110
DPP20	20S	50	80	420	71	140	33
DPP20	20S	50	100	400	64	180	51
DPP20	20T	50	150	350	49	260	115
DPP21	21T	53	150	325	47	270	121
DPP24	24S	61	120	340	67	220	88
DPP24	24T	61	150	270	42	280	138
DPP27	27T	68	120	250	46	230	100
DPP28	28S	71	80	280	62	150	46
DPP28	28T	71	120	240	45	230	103
DPP29	29T	74	120	225	43	230	107
DPP30	30T	76	120	215	42	230	111
DPP32	32S	80	80	230	54	150	52
DPP32	32T	80	100	210	45	180	82
DPP32	32T	80	120	193	38	232	116
DPP34	34S	86	80	215	53	150	56
DPP34	34T	86	100	195	44	180	87
DPP36	36T	91	100	180	42	180	92
DPP39	39S	99	55	200	61	95	30
DPP39	39	99	64	190	55	115	40
DPP39	39	99	80	176	47	156	65
DPP40	40T	102	100	150	36	190	103
DPP43	43S	110	55	178	58	95	33
DPP43	43	110	71	161	48	128	54
DPP43	43T	110	80	150	42	155	71
DPP47	47S	120	48	165	60	85	27
DPP47	47	120	55	160	57	96	36
DPP47	47	120	64	150	50	120	48
DPP47	47T	120	71	140	43	130	59
DPP53	53S	135	45	144	55	76	27

DPP53	53T	135	64	125	44	122	54
DPP53	53HD	135	71	117	39	132	67
DPP59	59	150	55	115	46	99	45
DPP59	59T	150	64	105	38	123	61
DPP64	64S	160	45	111	51	82	33
DPP64	64	160	55	100	41	100	48
DPP64	64T	160	64	90	33	125	66
DPP72	72S	180	45	95	47	78	37
DPP72	72	180	48	91	43	85	40
DPP72	72T	180	55	85	38	102	55
DPP77	77T	195	55	75	33	105	58
DPP80	80S	200	45	80	41	80	41
DPP80	80T	200	48	85	44	86	44
DPP90	90S	230	39	70	40	68	34
DPP90	90	230	45	68	34	80	46
DPP90	90T	230	48	65	33	82	49
DPP100	100T	250	39	60	36	69	38
DPP110	110	280	34	56	38	62	34
DPP110	110T	280	39	52	33	70	42
DPP120	120S	300	31	52	40	48	32
DPP120	120	300	34	48	33	63	37
DPP120	120T	300	39	44	28	72	46
DPP130	130S	330	31	47	37	50	35
DPP130	130T	330	34	42	30	58	40
DPP140	140S	350	31	43	34	50	37
DPP140	140T	350	34	36	25	62	43
DPP150	150S	380	31	37	30	50	40
DPP150	150T	380	34	32	24	56	43
DPP165	165S	420	27	33	31	40	26
DPP165	165	420	31	32	23	50	36
DPP165	165T	420	34	25	16	66	49
DPP180	180	457	27	24	18	43	33
DPP180	180T	457	31	23	17	56	40
DPP200	200	508	27	23	25	45	32
DPP200	200T	508	31	18	13	60	48

Fabricnumber NO.	Mest count		Thread diameter	Mesh opening	Open surface	Fabric thickness	Weight
	meshlcm	mesh/inch	mm	μm	%	μm	g/m
PES4400/77.5	2T	5	600	4400	77.5	1170	156
PES2750/67.2	3T	8	600	2750	67.2	1160	234
PES 2000/64	4T	10	500	2000	64	950	217
PES 1550/60	5T	13	450	1550	60	850	2259
PES 1270/58	6T	15	400	1270	58	760	246
PES 1080/57	7T	18	350	1080	57	660	220
PES 900/52	8T	20	350	900	52	660	251
PES 760/47	9T	23	350	760	47	670	282
PES 800/64	10S	25	200	800	64	360	87
PES 750/56	10	25	250	750	56	450	160
PES 700/49	10T	25	300	700	49	570	231
PES720/74	12S	30	120	720	74	215	44
PES680/67	12	30	150	680	67	260	69
PES 580/48	12	30	250	580	48	460	192
PES 530/40	12T	30	300	530	40	580	277
PES515/52	14S	36	200	515	52	360	143
PES470/50	15S	38	200	470	50	380	154
PES420/40	15T	38	250	420	40	470	240
PES 525/92	16S	41	100	525	92	180	36
PES 425/46	16T	41	200	425	46	380	164
PES405/53	18S	46	150	405	53	260	104
PES375/46	18T	46	180	375	46	330	150
PES375/51	19T	48	150	375	51	260	110
PES 420/71	20S	50	80	420	71	140	33
PES400/64	20S	50	110	400	64	180	51
PES 350/49	20T	50	150	350	49	260	115
PES325/47	21T	53	150	325	47	270	121
PES340/67	24S	61	120	340	67	220	88
PES270/42	24T	61	150	270	42	280	138
PES 250/46	27T	68	120	250	46	230	100
PES280/62	28S	71	80	280	62	150	46
PES240/45	28T	71	120	240	45	230	103
PES225/43	29T	74	120	225	43	230	107
PES215/42	30T	76	120	215	42	230	111
PES230/54	32S	80	80	230	54	150	52
PES210/45	32T	80	100	210	45	180	82
PES215/53	34S	86	80	215	53	150	56
PES 195/44	34T	86	100	195	44	180	87
PES 180/42	36T	91	100	180	42	180	92
PES 200/61	39S	99	55	200	61	95	30
PES 190/55	39T	99	64	190	55	115	40
PES 150/36	40T	102	100	150	36	190	103
PES 150/42	43T	110	80	150	42	155	71
PES 160/57	47S	120	55	160	57	96	36
PES 150/50	47T	120	64	150	50	120	48
PES 140/43	47HD	120	71	140	43	130	59
PES 140/47	49S	125	64	140	47	120	50
PES 135/44	49T	125	71	135	44	130	62
PES 144/55	53S	135	45	144	55	76	27
PES 135/51	53S	135	55	135	51	97	40
PES 125/44	53T	135	64	125	44	122	54
PES117/39	53T	135	71	117	39	132	67
PES 115/46	59S	150	55	115	46	99	45
PES 105/38	59T	150	64	105	38	123	61
PES 100/41	64S	160	55	100	41	100	48
PES 90/33	64T	160	64	90	33	125	66
PES 95/47	72S	180	45	95	47	78	37

PET

S-MESH

PES 85/38	72T	180	55	85	38	102	55
PES 75/33	77T	195	55	75	33	105	58
PES 80/41	80S	200	45	80	41	80	41
PES 85/44	80T	200	48	85	44	86	44
PES 70/40	90M	230	39	70	40	68	34
PES68/34	90T	230	45	68	34	80	46
PES 65/33	90T	230	48	65	33	82	49
PES60/36	100T	250	39	60	36	69	38
PES 56/38	110T	280	34	56	38	62	34
PES52/33	110HD	280	39	52	33	70	42
PES 52/40	120S	300	31	52	40	48	32
PES 48/33	120T	300	34	48	33	63	37
PES 44/28	120HD	300	39	44	28	72	46
PES47/37	130S	330	31	47	37	50	35
PES 42/30	130T	330	34	42	30	58	40
PES 43/34	140S	350	31	43	34	50	37
PES 36/25	140T	355	34	36	25	62	43
PES37/30	150S	380	31	37	30	50	40
PES 32/24	150	381	34	32	24	56	43
PES 33/31	165S	420	27	33	31	40	26
PES 32/23	165T	420	31	32	23	50	36
PES 25/16	165	419	34	25	16	66	49
PES 24/18	180	457	27	24	18	43	33
PES 23/17	180	457	31	23	17	56	40
PES 18/18	235x245	597x622	24	18	18	44	32
PES 18/13	200	508	31	18	13	60	48
PES 23/25	200T	500	27	23	25	45	32
PES 15/10	200x215	508x546	31	15	10	59	50

Fabric number NO.	Mest count		Thread diameter μ m	Mesh opening μ m	Open surface %	Fabric thickness μ m	Weight g/m²
	mesh/cm	meshinch					
DFP30	30	76	55x2	223	45	100	45
DFP33	33	84	55x2	192	40	100	50
DFP36	36	90	55x2	167	36	105	54
DFP39	39	100	55x2	146	32	105	58
DFP42	42	107	45x2	148	39	77	42
DFP46	46	120	45x2	127	34	78	46
DFP54	54	137	45x2	94	26	80	54
DFP58	58	147	39x2	94	30	74	44